

MYRIAD

TRANSPORT REFRIGERATION PARTS

VIBRASORBERS CATALOGUE

PRODUCT LIST ver. 02.2025

WE STOCK IT. YOU GET IT.



Myriad (the Supplier) supplies high quality replacement compressors and parts for Carrier® and Thermo King® transport refrigeration and air conditioning equipment and other carefully selected companies. Product names, logos, brands and other trade marks (whether registered or unregistered) referred to on this website are the property of their respective owners.

Use on this website does not imply that the owners of such rights are affiliated to Myriad in any way.

Myriad® is a registered trade mark of Syncoline Limited, registered in the UK and other countries.

Carrier®, Transicold®, DataCold®, Maxima®, Vector®, Supra®, Xarios®, Zephyr®, Neos®, Carlyle® and Viento® are registered trade marks of the Carrier Corporation, registered in the UK and other countries.

Thermo King®, TouchPrint® and TK® are registered trade marks of the Thermo King Corporation.

Mobil, the Mobil logo type, Mobil 1, Mobil SHC, Gargoyle Arctic SHC, and the Pegasus design are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries.

"Bosch" and the Bosch logo are registered trademarks of Robert Bosch GmbH and are used under licence. The BSH Group is a Trademark Licensee of Robert Bosch GmbH.

Carlisle (Group of Companies) is a registered trademark of The Timken Company (TIMKEN).

Danfoss and the Danfoss logotype are trademarks of Danfoss A/S.

KUBOTA is a trademark of Kubota Corporation.

PRESTOLITE is a trademark of GENERAL CABLE INDUSTRIES, INC.

COMEX EUROPE is a trademark of COMEX EUROPE S.R.L.

Euroscan is a trademark of the SuperCool Group of Companies.

Transcan® is a registered trademark of the Connexas Group.

GAH Transport Refrigeration is a trademark for G.A.H. (REFRIGERATION) LIMITED.

Schmitz Cargobull is a trademark of Schmitz Cargobull AG.

Seltec is a trademark of Seltec Automation LLP.

Valeo is a trademark of the French global automotive supplier headquartered in France, listed on the Paris Stock Exchange.

Zanotti is a trademark of Zanotti SpA, one of Europe's largest manufacturers in the refrigeration field.

The use of these names, and or any those of any other manufacturers, and any O.E.M. (Original Equipment Manufacturer) part numbers or partial use of O.E.M. part numbers used alongside products on this website, is done so to aid and assist identification of replacement parts and products, and are used for reference purposes only.

In no way do they constitute the approval of, and or any association to the O.E.M. in question, nor should they be used to infer any relationship between Myriad and the third party in question.

Any and all product pictures on this website are for illustrative purposes, provided with the intent to aid and assist the identification of products parts only. Actual replacement parts provided may differ.

Trademarks:

All brand names and trademarks referred to on our web site, including those protected by third parties, are unreservedly subject to the provisions in force of the trademark and the rights of ownership of the respective registered owners. The mere naming of a trademark is not to be taken as an implication that the trademark is not protected by the rights of a third party.

Warning - Cyber Crime Disclaimer:

Please be aware of Cyber Crime and report any suspicious emails to Myriad via our telephone system only. Myriad will not take any responsibility if you transfer money to an incorrect bank account. You should verify our bank details with our office before any transfers are made. If you receive any emails or suspicious messages requesting your bank details or other sensitive information please contact us immediately for confirmation.

External Links Disclaimer:

Myriad website may contain links to external websites that are not provided that are not provided or maintained by or in any way affiliated with Myriad. Please note that Myriad does not guarantee the accuracy, relevance, timeliness, or completeness of any information on these external websites.

General Disclaimer:

Myriad reserves the right to make additions, deletions or modifications to the contents of the Service at any time without prior notice. Myriad does not warrant that the website is free of viruses or other harmful components.

Definition of an O.E.M.:

An Original Equipment Manufacturer (O.E.M.) is traditionally defined as a company that produces parts and equipment that may be marketed by another manufacturer.

Legal validity:

This disclaimer is to be considered part of the material provided on the website which is linked to this page. Insofar as parts of this text or its individual wording should not, no longer or incompletely comply with the current legal situation, the content and validity of the remaining parts of this document will remain unaffected.

Warranty:


The content and, in particular, any warranty conditions described have been carefully prepared and reviewed. We would expressly point out that only correspondingly adapted warranty conditions apply in certain countries. Myriad accepts no responsibility for the up-to-dateness, correctness, completeness or quality of the information provided.

Liability claims against Myriad relating to material or idealistic damage caused by the use or non-use of the information provided or by incorrect and incomplete information are strictly ruled out, insofar as there is no proof of deliberate or grossly negligent fault on the part of Myriad.


Myriad expressly reserves the right to modify, supplement, or delete the website, either partially or in its entirety, without previous notification or warning.

www.myriadparts.com

**MORE THAN 55,000 INDIVIDUAL PRODUCTS
AVAILABLE FROM STOCK
FOR EXPRESS SHIPPING, WORLDWIDE.**



**WE STOCK IT.
YOU GET IT.**



✓ **STRUCTURAL**
✓ **TELEMATICS**
✓ **REFRIGERATION**
✓ **MAINTENANCE**



✓ **ELECTRICAL**
✓ **ELECTRONICS**
✓ **ENGINES**
✓ **COMPRESSORS**

... AND MORE

**ONLY THE
BEST PARTS,**



**AND THE BEST
SERVICE WILL DO.**

ORDER ONLINE - ANYTIME 27/7

As an independent, nonaffiliated supplier, we are able to respond quickly and directly to our customers' needs. With many operators now running mixed fleets of vans, trucks and trailers fitted with different manufacturer's refrigeration units, we understand the importance of customers being able to get the parts they need, when they need them.

We give our customers access to an unrivalled range of spare parts directly from stock, 99% of all orders are despatched the same day for next day delivery across the UK, Ireland and much of mainland Europe.

OUR BRAND PARTNES



WHY CHOOSE MYRIAD?

WE'VE BEEN LEADING THE INDUSTRY FOR 24 YEARS

OUR ACCREDITATION

We have been certified with International Quality Standard ISO 9001:2015 for our quality management system, as well as being an active and proud member of the Cold Chain Federation.



WE ARE MYRIAD

Myriad Parts was founded in 2000, to supply quality new and reconditioned spare parts, primarily to the transport refrigeration industry (Carrier Transicold® & Thermo King®). Over the past 24 years, we have grown the business with customers' needs in mind – making sure we deliver a high-quality service - at competitive prices.

We are proud to provide our customers access to a large and diverse range of stock, with 99% of all orders dispatched the same day and many product lines available for next-day delivery across the UK, Ireland and much of mainland Europe.

As an independent, non-affiliated supplier, we can respond quickly and directly to our customers' needs. With many operators now running mixed fleets of vans, trucks and trailers fitted with different manufacturer's refrigeration units, we understand the importance of customers being able to get the parts they need, when they need them most.

The variety of stock we hold is driven by the needs of our customers and their customers alike. We work hard to source quality components, manufactured in Europe, exclusively for our customers.

At Myriad we are committed to developing long-term relationships with our customers and going above and beyond to supply quality parts.



OFFICIAL DISTRIBUTORS

MYRIAD PROMISE

PRICE

Constant monitoring of global O.E.M price structures ensures we are always able to provide our customers with ultra-competitive prices based on current market pricing. Volume discounts, Growth discounts & Start-Up discounts.

PERFORMANCE

In excess of 2,000 separate product lines, containing more than 55,000 individual products available from stock for express shipping worldwide.

QUALITY

We are certified internationally as 9001:2015, so you can be confident of quality products and excellent service.

SERVICE

We understand how important it is to keep your business running. We despatch 99% of orders the same day and offer next-day delivery across the UK, Ireland and much of Europe.

SUPPORT

We never rest in our search for more efficient methods and means, to better serve our valued customers.

WE KNOW THE QUALITY OF THE PRODUCTS ON OFFER, AND WE'RE ABLE TO BACK THIS UP WITH A COMPREHENSIVE PARTS WARRANTY.

TRADEMARK DISCLAIMER	PAGE 2
ABOUT MYRIAD	PAGE 3
MYRIAD PROMISE	PAGE 4
CATALOGUE CONTENTS PAGE	PAGE 5



MANUFACTURER / MODEL NAME

CARRIER® XARIOS® 500/600/600MT	PAGE 7
CARRIER® OASIS® 100	PAGE 8
CARRIER® OASIS® 150	PAGE 9
CARRIER® OASIS® 200	PAGE 10
CARRIER® OASIS® 250/250MT	PAGE 11
CARRIER® OASIS® 300/350/350MT	PAGE 2
CARRIER® SUPRA® 450	PAGE 13
CARRIER® SUPRA® 550	PAGE 14
CARRIER® SUPRA® 550 U	PAGE 15
CARRIER® SUPRA® 750/750MT	PAGE 16
CARRIER® SUPRA® 850	PAGE 17
CARRIER® SUPRA® 850MT	PAGE 18
CARRIER® SUPRA® 850 U/900 U	PAGE 19
CARRIER® SUPRA® 950/950MT	PAGE 20
CARRIER® SUPRA® 950 U	PAGE 21
CARRIER® SUPRA® 950 U MT	PAGE 22
CARRIER® SUPRA® 1050	PAGE 23
CARRIER® SUPRA® 1100 U	PAGE 24
CARRIER® SUPRA® 1150/1150MT	PAGE 25
CARRIER® SUPRA® 1150MT CITY	PAGE 26
CARRIER® SUPRA® 1150 U MT CITY	PAGE 27
CARRIER® SUPRA® 1250/1250MT/1250 CITY/1250MT CITY	PAGE 28
CARRIER® MAXIMA®	PAGE 29
CARRIER® MAXIMA® PLUS	PAGE 30
CARRIER® MAXIMA® 2	PAGE 31
CARRIER® MAXIMA® 1000/1200/1200MT	PAGE 32
CARRIER® MAXIMA® 1000	PAGE 33
CARRIER® MAXIMA® 1300/1300MT	PAGE 34

CARRIER® VECTOR ® 1350	PAGE 35
THERMO KING® SLX/SLXe/SLXi	PAGE 36
THERMO KING® SMX/SMX2/SL	PAGE 37
THERMO KING® SB3	PAGE 37
THERMO KING® SB2/SB3/SMX/SMX2/SL	PAGE 38
HOW TO ORDER?	PAGE 39

DIDN'T FIND WHAT YOU WERE LOOKING FOR IN THIS CATALOGUE?
TAKE ANOTHER LOOK IN OUR **ONLINE SHOP**

WWW.MYRIADPARTS.COM



**NEW ARRIVALS OF PARTS & SPARES
FOR YOUR NEEDS.**



CARRIER® XARIOS®


500/600/600MT



MPN0668  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60035-02)



DIMENSIONS:

L - 340mm

Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.1mm

CARRIER® OASIS®

100


MPN0672  **CLICK**
VIBRASORBER DISCHARGE

(MRD-73-60010-04)

DIMENSIONS:



L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm


MPN0665
VIBRASORBER SUCTION

(MRD-73-60035-03)

DIMENSIONS:


L - 320mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm


Ø4 - 19.15mm



CARRIER® OASIS®



150



MPN0672 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-04)

DIMENSIONS:

L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN0665

VIBRASORBER SUCTION

(MRD-73-60035-03)

Prior to S/NO TB503007

DIMENSIONS:



L - 320mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0676

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TB503007

DIMENSIONS:

L - 412.5mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

CARRIER® OASIS®

200



MPN0672 **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-04)

DIMENSIONS:



L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN3419

VIBRASORBER SUCTION

(MRD-73-60010-03)

DIMENSIONS:


L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



CARRIER® OASIS®

250/250MT



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0672

VIBRASORBER SUCTION

(MRD-73-60010-04)

250 Standard Units

DIMENSIONS:


L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



CARRIER® OASIS®

300/350/350MT



MPN0657 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0666

VIBRASORBER SUCTION

(MRD-73-60024-00)

DIMENSIONS:


L - 445mm

A - 30mm

B - 30mm


Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®

450



MPN0668 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60035-02)

DIMENSIONS:

L - 340mm

Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.1mm

MPN0660

VIBRASORBER SUCTION

(MRD-73-60035-01)

Prior to S/NO TC216000

DIMENSIONS:



L - 340mm

Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.1mm



MPN0676

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TC216000

DIMENSIONS:

L - 412.5mm

Ø1 - 19.15mm

Ø2 - 22.2mm


Ø3 - 22.2mm

Ø4 - 19.15mm



CARRIER® SUPRA®

550



MPN0667 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60013-04)

DIMENSIONS:

L - 390mm

Ø1 - 16.2mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.2mm

MPN0665

VIBRASORBER SUCTION

(MRD-73-60035-03)

Prior to S/NO TB503007

DIMENSIONS:



L - 320mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0676

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TB503007

DIMENSIONS:

L - 412.5mm

Ø1 - 19.15mm



Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

CARRIER® SUPRA®

550 U (Undermount)



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

TBA

VIBRASORBER SUCTION

(MRD-73-60072-02)

DIMENSIONS:

L - 445mm


A -

B -

Ø1 -



Ø2 -

IMAGE COMING SOON



CARRIER® SUPRA®

750/750MT



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN0667

VIBRASORBER SUCTION

(MRD-73-60013-04)

DIMENSIONS:


L - 390mm

Ø1 - 16.2mm

Ø2 - 19.05mm

Ø3 - 19.05mm



Ø4 - 16.2mm



CARRIER[®] SUPRA[®]



850



MPN0657 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN0674

VIBRASORBER SUCTION

(MRD-73-60024-02)

DIMENSIONS:


L - 615mm

A - 40mm

B - 40mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®

850MT



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN3445

VIBRASORBER SUCTION

S 850MT 1150MT CITY

(MRD-73-60024-05)

DIMENSIONS:


L - 495mm

A - 85mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®

850 U/900 U (Undermount)



MPN0657 **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN3382

VIBRASORBER SUCTION

(MRD-73-60072-01)

DIMENSIONS:


L - 528mm

Ø1 - 24.8mm

Ø2 - 28mm

Ø3 - 28mm

Ø4 - 24.8mm



CARRIER[®] SUPRA[®]

950/950MT



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:


L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0666

VIBRASORBER SUCTION

(MRD-73-60024-00)

DIMENSIONS:


L - 445mm

A - 30mm

B - 30mm



Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER[®] SUPRA[®]

950 U (Undermount)



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN3385

VIBRASORBER SUCTION

(MRD-73-60024-08)

DIMENSIONS:


L - 495mm

A - 85mm

B - 85mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®

950 U MT



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:


L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN3445

VIBRASORBER SUCTION

S 850MT 1150MT CITY

(MRD-73-60024-05)

DIMENSIONS:


L - 495mm

A - 85mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®



1050



MPN3381 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60129-00)

DIMENSIONS:


L - 565mm

Ø1 - 21mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 21mm



MPN3359

VIBRASORBER SUCTION

(MRD-73-60120-00)

DIMENSIONS:


L - 820mm

Ø1 - 25mm

Ø2 - 29mm

Ø3 - 29mm


Ø4 - 25mm



CARRIER[®] SUPRA[®]



1100 U (Undermount)



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN3385

VIBRASORBER SUCTION

(MRD-73-60024-08)

DIMENSIONS:


L - 495mm

A - 85mm

B - 85mm

Ø1 - 25.55mm


Ø2 - 28.55mm



CARRIER® SUPRA®



1150/1150MT



MPN3381  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60129-00)

DIMENSIONS:

L - 565mm

Ø1 - 21mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 21mm



MPN3359

VIBRASORBER SUCTION

(MRD-73-60120-00)

DIMENSIONS:

L - 820mm

Ø1 - 25mm

Ø2 - 29mm

Ø3 - 29mm

Ø4 - 25mm



CARRIER® SUPRA®



1150MT CITY



MPN0657  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0666

VIBRASORBER SUCTION

(MRD-73-60024-00)

DIMENSIONS:


L - 445mm

A - 30mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®



1150 U MT CITY



MPN0657 **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:


L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN3445

VIBRASORBER SUCTION

S 850MT 1150MT CITY

(MRD-73-60024-05)

DIMENSIONS:


L - 495mm

A - 85mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® SUPRA®



1250/1250MT/1250 CITY/1250MT CITY



MPN0657 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

DIMENSIONS:



L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0666

VIBRASORBER SUCTION

(MRD-73-60024-00)

DIMENSIONS:


L - 445mm

A - 30mm


B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® MAXIMA®



MPN0664 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

DIMENSIONS:

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN0666

VIBRASORBER SUCTION

(MRD-73-60024-00)

DIMENSIONS:


L - 445mm

A - 30mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm



CARRIER® MAXIMA®

PLUS



MPN0664  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

DIMENSIONS:


L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0669

VIBRASORBER SUCTION

(MRD-73-60042-00)

DIMENSIONS:


L - 275mm

Ø1 - 25.55mm

Ø2 - 28.55mm


Ø3 - 34.9mm

Ø4 - 31.9mm



CARRIER® MAXIMA®

2



MPN0664  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

DIMENSIONS:

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

MPN0661A

VIBRASORBER SUCTION

(MRD-73-60076-00)

DIMENSIONS:


L - 555mm

Ø1 - 25.55mm

Ø2 - 28.55mm

Ø3 - 28.55mm

Ø4 - 25.55mm



CARRIER® MAXIMA®

1000/1200/1200MT



MPN0664  **CLICK**

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

Prior to S/NO MB403109

DIMENSIONS:


L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm



MPN0661A

VIBRASORBER SUCTION

(MRD-73-60076-00)

Prior to S/NO MB403109

DIMENSIONS:


L - 555mm

Ø1 - 25.55mm

Ø2 - 28.55mm


Ø3 - 28.55mm

Ø4 - 25.55mm



CARRIER® MAXIMA®

1000



MPN3380 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60089-00)

After S/NO MB403109

DIMENSIONS:

L - 528mm

Ø1 - 7mm

Ø2 - 22.4mm

Ø3 - 24.4mm

MPN0661A

VIBRASORBER SUCTION

(MRD-73-60076-00)

Prior to S/NO MB546036

DIMENSIONS:



L - 555mm

Ø1 - 25.55mm

Ø2 - 28.55mm

Ø3 - 28.55mm

Ø4 - 25.55mm



MPN0675

VIBRASORBER SUCTION

(MRD-73-60090-00)

After S/NO MB546036

DIMENSIONS:

L - 555mm

Ø1 - xmm

Ø2 - 28.72mm

Ø3 - 28.55mm

Ø4 - 25.55mm

CARRIER® MAXIMA®

1300/1300MT



MPN3380 CLICK

VIBRASORBER DISCHARGE

(MRD-73-60089-00)


DIMENSIONS:

L - 528mm

Ø1 - 7mm

Ø2 - 22.4mm

Ø3 - 24.4mm



MPN0675

VIBRASORBER SUCTION

(MRD-73-60090-00)

DIMENSIONS:


L - 555mm

Ø1 - xmm

Ø2 - 28.72mm



Ø3 - 28.55mm

Ø4 - 25.55mm



CARRIER® VECTOR®

1350



MPN3383 CLICK

VIBRASORBER DISCHARGE

(MRD-73-00201-02)

DIMENSIONS:

L - 590mm

Ø1 - 19mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 19mm

MPN3384

VIBRASORBER SUCTION

(MRD-73-00223-02)

DIMENSIONS:


L - 570mm

Ø1 - 29mm

Ø2 - 31mm


Ø3 - 26mm

Ø4 - 29mm



THERMO KING®

SLX/SLXe/SLXi - RANGE



MPN0610 CLICK

VIBRASORBER DISCHARGE

(MRD-61-4127)

DIMENSIONS:

L - 750mm

Ø1 - 15.5mm

Ø2 - 19mm

Ø3 - 19mm

Ø4 - 15.5mm

MPN0609

VIBRASORBER SUCTION

(MRD-61-4126)

DIMENSIONS:


L - 535mm

Ø1 - 35mm

Ø2 - 31.5mm


Ø3 - 31.5mm

Ø4 - 35mm



THERMO KING®

SMX/SMX2/SL - RANGE



MPN0677  **CLICK**

VIBRASORBER SUCTION

(MRD-66-5964)

DIMENSIONS:

L - 690mm

Ø1 - 35mm

Ø2 - 31.5mm

Ø3 - 31.5mm

Ø4 - 35mm

SB3 - RANGE



MPN0670

VIBRASORBER SUCTION

(MRD-66-6024)

DIMENSIONS:


L - 715mm

Ø1 - 35mm

Ø2 - 32mm


Ø3 - 32mm

Ø4 - 35mm



THERMO KING®

SB2/SB3/SMX/SMX2/SL - RANGE



MPN0656  **CLICK**

VIBRASORBER DISCHARGE

(MRD-66-5784)

DIMENSIONS:

L - 470mm

Ø1 - 19mm

Ø2 - 15mm

Ø3 - 19mm


Ø4 - 20mm

WANT TO SET UP AN ACCOUNT?

Our team is best placed to ensure that you are quickly on the way to procuring the best quality parts. You can always trust Myriad as your go-to partner for all your transport refrigeration part needs.

REGISTER TODAY AT

MYRIADPARTS.COM




SCAN ME

**STEP 1:
FIND YOUR
PARTS.**



**STEP 2:
COMPLETE
YOUR ORDER.**



**STEP 3:
YOUR PARTS
DELIVERED.**



Alternatively, if you wish to, you can contact our dedicated sales team. **Parts & Support +44 (0)23 8071 0168**

HAVE WE LEFT YOU WANTING MORE?

**HAVE A LOOK AT OUR
OTHER CATALOGUES.**

SEE MORE



FOLLOW US ON SOCIAL MEDIA



@MYRIADPARTS





**YOUR GO-TO PARTNER
FOR TRANSPORT
REFRIGERATION PARTS,
GLOBALLY.**

M CONTACT DETAILS

Myriad Parts
Unit 5, The Quadrangle,
Abbey Park Industrial Estate,
Romsey, SO51 9DL,
Hampshire, United Kingdom

+44 (0) 2380 71 01 68
info@myriadparts.com
www.myriadparts.com



**WE STOCK IT.
YOU GET IT.**