

# VIBRASORBERS CATALOGUE

PRODUCT LIST ver. 02.2025

WE STOCK IT. YOU GET IT.





#### TRADEMARK DISCLAIMER

#### WE STOCK IT. YOU GET IT.

Myriad (the Supplier) supplies high quality replacement compressors and parts for Carrier® and Thermo King® transport refrigeration and air conditioning equipment and other carefully selected companies. Product names, logos, brands and other trade marks (whether registered or unregistered) referred to on this website are the property of their respective owners.

Use on this website does not imply that the owners of such rights are affiliated to Myriad in any way.

Myriad® is a registered trade mark of Syncoline Limited, registered in the UK and other countries.

Carrier®, Transicold®, DataCold®, Maxima®, Vector®, Supra®, Xarios®, Zephyr®, Neos®, Carlyle® and Viento® are registered trade marks of the Carrier Corporation, registered in the UK and other countries.

Thermo King®, TouchPrint® and TK® are registered trade marks of the Thermo King Corporation.

Mobil, the Mobil logo type, Mobil 1, Mobil SHC, Gargoyle Arctic SHC, and the Pegasus design are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries.

"Bosch" and the Bosch logo are registered trademarks of Robert Bosch GmbH and are used under licence. The BSH Group is a Trademark Licensee of Robert Bosch GmbH.

Carlisle (Group of Companies) is a registered trademark of The Timken Company (TIMKEN).

Danfoss and the Danfoss logotype are trademarks of Danfoss A/S.

KUBOTA is a trademark of Kubota Corporation.

PRESTOLITE is a trademark of GENERAL CABLE INDUSTRIES, INC.

COMEX EUROPE is a trademark of COMEX EUROPE S.R.L.

Euroscan is a trademark of the SuperCool Group of Companies.

Transcan® is a registered trademark of the Connexas Group.

 ${\sf GAH\ Transport\ Refrigeration\ is\ a\ trademark\ for\ G.A.H.\ (REFRIGERATION)\ LIMITED.}$ 

Schmitz Cargobull is a trademark of Schmitz Cargobull AG.

Seltec is a trademark of Seltec Automation LLP.

Valeo is a trademark of the French global automotive supplier headquartered in France, listed on the Paris Stock Exchange.

Zanotti is a trademark of Zanotti SpA, one of Europe's largest manufacturers in the refrigeration field.

The use of these names, and or any those of any other manufacturers, and any O.E.M. (Original Equipment Manufacturer) part numbers or partial use of O.E.M. part numbers used alongside products on this website, is done so to aid and assist identification of replacement parts and products, and are used for reference purposes only.

In no way do they constitute the approval of, and or any association to the O.E.M. in question, nor should they be used to infer any relationship between Myriad and the third party in question.

Any and all product pictures on this website are for illustrative purposes, provided with the intent to aid and assist the identification of products parts only. Actual replacement parts provided may differ.

#### Trademarks:

All brand names and trademarks referred to on our web site, including those protected by third parties, are unreservedly subject to the provisions in force of the trademark and the rights of ownership of the respective registered owners. The mere naming of a trademark is not to be taken as an implication that the trademark is not protected by the rights of a third party.

#### **Warning - Cyber Crime Disclaimer:**

Please be aware of Cyber Crime and report any suspicious emails to Myriad via our telephone system only. Myriad will not take any responsibility if you transfer money to an incorrect bank account. You should verify our bank details with our office before any transfers are made. If you receive any emails or suspicious messages requesting your bank details or other sensitive information please contact us immediately for confirmation.

#### External Links Disclaimer:

Myriad website may contain links to external websites that are not provided that are not provided or maintained by or in any way affiliated with Myriad. Please note that Myriad does not guarantee the accuracy, relevance, timeliness, or completeness of any information on these external websites.

#### General Disclaimer:

Myriad reserves the right to make additions, deletions or modifications to the contents of the Service at any time without prior notice. Myriad does not warrant that the website is free of viruses or other harmful components.

#### Definition of an O.E.M.:

An Original Equipment Manufacturer (O.E.M.) is traditionally defined as a company that produces parts and equipment that may be marketed by another manufacturer.

#### Legal validity:

This disclaimer is to be considered part of the material provided on the website which is linked to this page. Insofar as parts of this text or its individual wording should not, no longer or incompletely comply with the current legal situation, the content and validity of the remaining parts of this document will remain unaffected.

#### Warranty

The content and, in particular, any warranty conditions described have been carefully prepared and reviewed. We would expressly point out that only correspondingly adapted warranty conditions apply in certain countries. Myriad accepts no responsibility for the up-to-dateness, correctness, completeness or quality of the information provided.

Liability claims against Myriad relating to material or idealistic damage caused by the use or non-use of the information provided or by incorrect and incomplete information are strictly ruled out, insofar as there is no proof of deliberate or grossly negligent fault on the part of Myriad.

Myriad expressly reserves the right to modify, supplement, or delete the website, either partially or in its entirety, without previous notification or warning.

#### **MORE THAN 55,000 INDIVIDUAL PRODUCTS AVAILABLE FROM STOCK** FOR EXPRESS SHIPPING, WORLDWIDE.



# ORDER ONLINE - ANYTIME 24/7



WE STOCK IT. YOU GET IT.



- **STRUCTURAL**
- **TELEMATICS**
- REFRIGERATION
- **MAINTENANCE**



- ✓ ELECTRICAL
- **ELECTRONICS**
- **ENGINES**
- **COMPRESSORS**

... AND MORE

**ONLY THE BEST PARTS,** 



**AND THE BEST** SERVICE WILL DO.

As an independent, nonaffiliated supplier, we are able to respond quickly and directly to our customers' needs. With many operators now running mixed fleets of vans, trucks and trailers fitted with different manufacturer's refrigeration units, we understand the importance of customers being able to get the parts they need, when they need them.

We give our customers access to an unrivalled range of spare parts directly from stock, 99% of all orders are despatched the same day for next day delivery across the UK, Ireland and much of mainland Europe.

#### **OUR BRAND PARTNES**





























## WHY CHOOSE MYRIAD?



#### WE'VE BEEN LEADING THE INDUSTRY FOR 24 YEARS

#### **OUR ACCREDITATION**

We have been certified with International Quality Standard ISO 9001.2015 for our quality management system, as well as being an active and proud member of the Cold Chain Federation.





#### WE ARE MYRIAD

Myriad Parts was founded in 2000, to supply quality new and reconditioned spare parts, primarily to the transport refrigeration industry (Carrier Transicold® & Thermo King®). Over the past 24 years, we have grown the business with customers' needs in mind – making sure we deliver a high-quality service - at competitive prices.

We are proud to provide our customers access to a large and diverse range of stock, with 99% of all orders dispatched the same day and many product lines available for next-day delivery across the UK, Ireland and much of mainland Europe.

As an independent, non-affiliated supplier, we can respond quickly and directly to our customers' needs. With many operators now running mixed fleets of vans, trucks and trailers fitted with different manufacturer's refrigeration units, we understand the importance of customers being able to get the parts they need, when they need them most.



The variety of stock we hold is driven by the needs of our customers and their customers alike. We work hard to source quality components, manufactured in Europe, exclusively for our customers.

At Myriad we are committed to developing long-term relationships with our customers and going above and beyond to supply quality parts.





#### **PRICE**

Constant monitoring of global O.E.M price structures ensures we are always able to provide our customers with ultracompetitive prices based on current market pricing. Volume discounts, Growth discounts & Start-Up discounts.

#### **PERFORMANCE**

In excess of 2,000 separate product lines, containing more than 55,000 individual products available from stock for express shipping worldwide.

#### **QUALITY**

We are certified internationally as 9001:2015, so you can be confident of quality products and excellent service.

#### **SERVICE**

We understand how important it is to keep your business running. We despatch 99% of orders the same day and offer nextday delivery across the UK, Ireland and much of Europe.

#### **SUPPORT**

We never rest in our search for more efficient methods and means, to better serve our valued customers. WE KNOW THE QUALITY OF THE PRODUCTS ON OFFER, AND WE'RE ABLE TO BACK THIS UP WITH A COMPREHENSIVE PARTS WARRANTY.

- PAGE 34

TRADEMARK <b>DISCLAIMER</b>	PAGE	2
ABOUT MYRIAD —	PAGE	3
MYRIAD PROMISE	PAGE	4
CATALOGUE CONTENTS PAGE		
	اللهام الله الله الله الله الله الله الل	CLICK
MANUFACTURER / MODEL NAME		
CARRIER® XARIOS® 500/600/600MT	PAGE	7
CARRIER® OASIS® 100	PAGE	8
CARRIER® OASIS® 150	PAGE	9
CARRIER® OASIS® 200	PAGE	10
CARRIER® OASIS® 250/250MT	PAGE	11
CARRIER® OASIS® 300/350/350MT —	PAGE	2
CARRIER® SUPRA® 450	PAGE	13
CARRIER® SUPRA® 550	PAGE	14
CARRIER® SUPRA® 550 U	PAGE	15
CARRIER® SUPRA® 750/750MT —	PAGE	16
CARRIER® SUPRA® 850	PAGE	1 <i>7</i>
CARRIER® SUPRA® 850MT	PAGE	18
CARRIER® SUPRA® 850 U/900 U	PAGE	19
CARRIER® SUPRA® 950/950MT —	PAGE	20
CARRIER® SUPRA® 950 U	PAGE	21
CARRIER® SUPRA® 950 U MT	PAGE	22
CARRIER® SUPRA® 1050	PAGE	23
CARRIER® SUPRA® 1100 U	PAGE	24
CARRIER® SUPRA® 1150/1150MT —	PAGE	25
CARRIER® SUPRA® 1150MT CITY —	PAGE	26
CARRIER® SUPRA® 1150 U MT CITY —	PAGE	27
CARRIER® <b>SUPRA</b> ® <b>1250/1250MT/1250 CITY/1250MT CITY</b> —————	PAGE	28
CARRIER® MAXIMA® —	PAGE	29
CARRIER® MAXIMA® PLUS —	PAGE	30
CARRIER® MAXIMA® 2	PAGE	31
CARRIER® MAXIMA® 1000/1200/1200MT ———————————————————————————————————	PAGE	32
CARRIER® MAXIMA® 1000 —		

CARRIER® MAXIMA® 1300/1300MT -

CARRIER® VECTOR® 1350 —	PAGE	35
THERMO KING® SLX/SLXe/SLXi —	PAGE	36
THERMO KING® SMX/SMX2/SL	PAGE	37
THERMO KING® SB3 —	PAGE	37
THERMO KING® SB2/SB3/SMX/SMX2/SL	PAGE	38
HOW TO ORDER?	PAGE	39

# TAKE ANOTHER LOOK IN OUR ONLINE SHOP

WWW.MYRIADPARTS.COM



NEW ARRIVALS OF PARTS & SPARES FOR YOUR NEEDS.





# CARRIER® XARIOS®




500/600/600MT





MPN0668 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60035-02)



#### **DIMENSIONS:**

L - 340mm

Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm


Ø4 - 16.1mm





100





#### MPN0672 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-04)

#### DIMENSIONS:

L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm





#### **MPN0665**

VIBRASORBER SUCTION

(MRD-73-60035-03)

#### **DIMENSIONS:**

L - 320mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm










150



#### MPN0672 ≔ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-04)

#### DIMENSIONS:

L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0665**

VIBRASORBER SUCTION

(MRD-73-60035-03)

Prior to S/NO TB503007

#### **DIMENSIONS:**


L - 320mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm





#### **MPN0676**

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TB503007

#### **DIMENSIONS:**

L - 412.5mm

Ø1 - 19.15mm


Ø2 - 22.2mm

Ø3 - 22.2mm



200





#### MPN0672 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-04)

#### DIMENSIONS:

L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm





#### **MPN3419**

VIBRASORBER SUCTION

(MRD-73-60010-03)

#### **DIMENSIONS:**


L - 525mm

Ø1 - 19.15mm

Ø2 - 22.2mm


Ø3 - 22.2mm







#### 250/250MT



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0672**

VIBRASORBER SUCTION

(MRD-73-60010-04)

**250 Standard Units** 


#### **DIMENSIONS:**

L - 525mm

Ø1 - 19.15mm


Ø2 - 22.2mm

Ø3 - 22.2mm





300/350/350MT



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm


Ø4 - 19.15mm

#### **MPN0666** VIBRASORBER SUCTION (MRD-73-60024-00) **DIMENSIONS:** L - 445mm A - 30mm B - 30mm Ø1 - 25.55mm Ø2 - 28.55mm





450



#### MPN0668 ॠ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60035-02)

#### **DIMENSIONS:**

L - 340mm

Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.1mm

#### **MPN0660**

VIBRASORBER SUCTION

(MRD-73-60035-01)

Prior to S/NO TC216000

#### **DIMENSIONS:**


L - 340mm


Ø1 - 16.1mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.1mm





#### **MPN0676**

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TC216000

#### **DIMENSIONS:**

L - 412.5mm

Ø1 - 19.15mm


Ø2 - 22.2mm

Ø3 - 22.2mm





550



#### MPN0667 ॠ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60013-04)

#### **DIMENSIONS:**

L - 390mm

Ø1 - 16.2mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.2mm

#### **MPN0665**

VIBRASORBER SUCTION

(MRD-73-60035-03)

Prior to S/NO TB503007

#### **DIMENSIONS:**


L - 320mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm





#### **MPN0676**

VIBRASORBER SUCTION

(MRD-73-60083-00)

After S/NO TB503007

#### **DIMENSIONS:**

L - 412.5mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm



550 U (Undermount)



#### MPN0657 ≒ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm


Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **TBA** VIBRASORBER SUCTION (MRD-73-60072-02) **DIMENSIONS:** L - 445mm A -Ø1 -Ø2 -


#### **IMAGE COMING SOON**





750/750MT







#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0667**

#### VIBRASORBER SUCTION

(MRD-73-60013-04)

#### **DIMENSIONS:**

L - 390mm


Ø1 - 16.2mm

Ø2 - 19.05mm

Ø3 - 19.05mm

Ø4 - 16.2mm










850



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0674**

#### VIBRASORBER SUCTION

(MRD-73-60024-02)

#### **DIMENSIONS:**


L-615mm

A - 40mm

B - 40mm

Ø1 - 25.55mm


Ø2 - 28.55mm







850MT



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm


#### **MPN3445** VIBRASORBER SUCTION S 850MT 1150MT CITY (MRD-73-60024-05) **DIMENSIONS:** L - 495mm A - 85mm B - 30mm Ø1 - 25.55mm Ø2 - 28.55mm







850 U/900 U (Undermount)



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN3382**

#### VIBRASORBER SUCTION

(MRD-73-60072-01)

#### **DIMENSIONS:**


L - 528mm

Ø1 - 24.8mm

Ø2 - 28mm

Ø3 - 28mm


Ø4 - 24.8mm







950/950MT



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0666**

VIBRASORBER SUCTION

(MRD-73-60024-00)

#### **DIMENSIONS:**


L - 445mm

A - 30mm

B - 30mm

Ø1 - 25.55mm


Ø2 - 28.55mm







950 U (Undermount)



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN3385**

VIBRASORBER SUCTION

(MRD-73-60024-08)

#### **DIMENSIONS:**


L - 495mm

A - 85mm

B - 85mm

Ø1 - 25.55mm

Ø2 - 28.55mm








950 U MT







#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN3445**

VIBRASORBER SUCTION S 850MT 1150MT CITY

(MRD-73-60024-05)

**DIMENSIONS:** 


L - 495mm

A - 85mm

B - 30mm

Ø1 - 25.55mm

Ø2 - 28.55mm




Ø1 Int

Ø2 Ext



1050





#### MPN3381 ॠ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60129-00)

#### DIMENSIONS:

L - 565mm

Ø1 - 21mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 21mm





#### **MPN3359**

VIBRASORBER SUCTION

(MRD-73-60120-00)

#### **DIMENSIONS:**


L - 820mm

Ø1 - 25mm

Ø2 - 29mm

Ø3 - 29mm

Ø4 - 25mm








#### 1100 U (Undermount)







#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### DIMENSIONS:

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN3385**

VIBRASORBER SUCTION

(MRD-73-60024-08)

#### **DIMENSIONS:**

L - 495mm


A - 85mm

B - 85mm

Ø1 - 25.55mm

Ø2 - 28.55mm








#### 1150/1150MT





#### MPN3381 ≒ CLICK

VIBRASORBER DISCHARGE (MRD-73-60129-00)

#### DIMENSIONS:

L - 565mm

Ø1 - 21mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 21mm





#### **MPN3359**

VIBRASORBER SUCTION

(MRD-73-60120-00)

#### **DIMENSIONS:**

L - 820mm

Ø1 - 25mm

Ø2 - 29mm

Ø3 - 29mm

Ø4 - 25mm








#### 1150MT CITY







#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-00)

L - 360mm

Ø1 - 19.15mm

DIMENSIONS:

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0666**

VIBRASORBER SUCTION

(MRD-73-60024-00)

#### **DIMENSIONS:**


L - 445mm

A - 30mm

B - 30mm

Ø1 - 25.55mm


Ø2 - 28.55mm







#### 1150 U MT CITY



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN3445**

VIBRASORBER SUCTION S 850MT 1150MT CITY

(MRD-73-60024-05)

#### **DIMENSIONS:**


L - 495mm

A - 85mm

B - 30mm

Ø1 - 25.55mm


Ø2 - 28.55mm







#### 1250/1250MT/1250 CITY/1250MT CITY



#### MPN0657 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60010-00)

#### **DIMENSIONS:**

L - 360mm


Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0666** VIBRASORBER SUCTION (MRD-73-60024-00) **DIMENSIONS:** L - 445mm A - 30mm B - 30mm Ø1 - 25.55mm Ø2 - 28.55mm







# Ø2 Ø3 Ø3



#### MPN0664 ≔ CLICK

VIBRASORBER DISCHARGE (MRD-73-60087-00)

#### DIMENSIONS:

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0666**

VIBRASORBER SUCTION

(MRD-73-60024-00)

#### **DIMENSIONS:**


L - 445mm

A - 30mm

B - 30mm

Ø1 - 25.55mm


Ø2 - 28.55mm





**PLUS** 







#### MPN0664 ≔ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

#### DIMENSIONS:

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0669**

VIBRASORBER SUCTION

(MRD-73-60042-00)

#### **DIMENSIONS:**

L - 275mm

Ø1 - 25.55mm


Ø2 - 28.55mm

Ø3 - 34.9mm

Ø4 - 31.9mm








2







#### MPN0664 ≔ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

#### DIMENSIONS:

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0661A**

VIBRASORBER SUCTION

(MRD-73-60076-00)

#### **DIMENSIONS:**

L - 555mm


Ø1 - 25.55mm

Ø2 - 28.55mm

Ø3 - 28.55mm








1000/1200/1200MT









#### MPN0664 ≒ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60087-00)

Prior to S/NO MB403109

#### **DIMENSIONS:**

L - 440mm

Ø1 - 19.15mm

Ø2 - 22.2mm

Ø3 - 22.2mm

Ø4 - 19.15mm

#### **MPN0661A**

VIBRASORBER SUCTION

(MRD-73-60076-00)

Prior to S/NO MB403109

#### DIMENSIONS:


L - 555mm

Ø1 - 25.55mm


Ø2 - 28.55mm

Ø3 - 28.55mm





1000



#### MPN3380 ≒ CLICK

VIBRASORBER DISCHARGE

(MRD-73-60089-00)

**After S/NO MB403109** 

#### **DIMENSIONS:**

L - 528mm

Ø1 - 7mm

Ø2 - 22.4mm

Ø3 - 24.4mm

#### **MPN0661A**

VIBRASORBER SUCTION

(MRD-73-60076-00)

Prior to S/NO MB546036

#### **DIMENSIONS:**


L - 555mm

Ø1 - 25.55mm

Ø2 - 28.55mm

Ø3 - 28.55mm

Ø4 - 25.55mm



# L

#### **MPN0675**

VIBRASORBER SUCTION

(MRD-73-60090-00)

After S/NO MB546036

#### **DIMENSIONS:**

L - 555mm


Ø1 - xmm

Ø2 - 28.72mm

Ø3 - 28.55mm

1300/1300MT





#### MPN3380 등 CLICK

VIBRASORBER DISCHARGE (MRD-73-60089-00)

#### **DIMENSIONS:**

L - 528mm

Ø1 - 7mm

Ø2 - 22.4mm

Ø3 - 24.4mm

#### **MPN0675**

VIBRASORBER SUCTION (MRD-73-60090-00)

#### **DIMENSIONS:**


L - 555mm

Ø1 - xmm

Ø2 - 28.72mm

Ø3 - 28.55mm






# CARRIER® VECTOR®

1350





#### MPN3383 ₩ CLICK

VIBRASORBER DISCHARGE (MRD-73-00201-02)

#### DIMENSIONS:

L - 590mm

Ø1 - 19mm

Ø2 - 23mm

Ø3 - 23mm

Ø4 - 19mm

#### **MPN3384**

VIBRASORBER SUCTION

(MRD-73-00223-02)

#### **DIMENSIONS:**


L - 570mm

Ø1 - 29mm

Ø2 - 31mm

Ø3 - 26mm

Ø4 - 29mm






# THERMO KING®

SLX/SLXe/SLXi - RANGE







#### MPN0610 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-61-4127)

#### **DIMENSIONS:**

L - 750mm

Ø1 - 15.5mm

Ø2 - 19mm

Ø3 - 19mm

Ø4 - 15.5mm

#### **MPN0609**

VIBRASORBER SUCTION

(MRD-61-4126)

#### **DIMENSIONS:**


L - 535mm

Ø1 - 35mm

Ø2 - 31.5mm

Ø3 - 31.5mm

Ø4 - 35mm




# THERMO KING®

SMX/SMX2/SL - RANGE







#### MPN0677 ₩ CLICK

VIBRASORBER SUCTION

(MRD-66-5964)

#### **DIMENSIONS:**

L - 690mm

Ø1 - 35mm

Ø2 - 31.5mm

Ø3 - 31.5mm

Ø4 - 35mm

SB3 - RANGE



#### **MPN0670**

VIBRASORBER SUCTION

(MRD-66-6024)

#### **DIMENSIONS:**


L - 715mm

Ø1 - 35mm

Ø2 - 32mm

Ø3 - 32mm

Ø4 - 35mm




# THERMO KING®

SB2/SB3/SMX/SMX2/SL - RANGE







#### MPN0656 ₩ CLICK

VIBRASORBER DISCHARGE

(MRD-66-5784)

#### DIMENSIONS:

L - 470mm

Ø1 - 19mm

Ø2 - 15mm

Ø3 - 19mm

Ø4 - 20mm

#### WANT TO SET UP AN ACCOUNT?

Our team is best placed to ensure that you are quickly on the way to procuring the best quality parts. You can always trust Myriad as your go-to partner for all your transport refrigeration part needs.



Alternatively, if you wish to, you can contact our dedicated sales team. Parts & Support +44 (0)23 8071 0168



#### **FOLLOW US** ON SOCIAL MEDIA













**@MYRIADPARTS** 



# YOUR GO-TO PARTNER FOR TRANSPORT REFRIGERATION PARTS, GLOBALLY.

MYRIAD

WE STOCK IT

WE STOCK IT.



Myriad Parts Unit 5, The Quadrangle, Abbey Park Industrial Estate, Romsey, SO51 9DL, Hampshire, United Kingdom

+44 (0) 2380 71 01 68 info@myriadparts.com www.myriadparts.com



WE STOCK IT.
YOU GET IT.

Copyright © 2024 Myriad Parts. All rights reserved.